

Cali Sense

DESIGN || COMFORT || INNOVATION

Benefits

- 100% Aluminium alloy body with low thermal inertia
- Quick and easy to install in new build and home renovation
- The comfort of central heating without the pipes
- *EcoSense* technology, occupancy and open window detection
- 5 operating modes
- High performance low viscosity thermodynamic fluid
- LCD backlit display
- Maximum energy efficiency
- High thermal output



SIMPLE | INTELLIGENT | EFFICIENT | FLEXIBLE

A slim classically stylish ergonomic design to suit any interior, the Cali Sense ensures a perfect combination of performance and economy and adapts itself to every aspect of your environment. Advanced technologies, control abilities and exclusive design substantially lower operating costs creating a perfect balance between temperature and comfort. The EcoSense[®] technology incorporates state of the art PIR sensors to detect room by room occupation. Unoccupied rooms will automatically reduce their temperature to save energy. Packed with state of the art features like real time energy consumption indication, occupancy detection and pin code locking, the Cali Sense is the perfect choice for private, commercial and rented properties.

The Friendly heating

Features you will love



Real Time Energy Consumption



Window and Presence Detection



Opti Power High Thermal Output

The ergonomic back fins enhanced by the Opti Power technology provide a pleasant and constantly diffused heat distribution

- 5 Operating modes
- Open window detection
- Occupancy detection
- 7 day and daily programme
- Setting temperature limit
- Child Lock
- Rental housing PIN code lock
- Settings back up
- Compliant with Eco Design Directive 2018



Made in Italy



10 years* warranty



Maintenance free



Comfort surface temperature



TPI technology



Low energy consumption



Holiday Mode



EcoSense® Technology



Patented wall-mounting brackets



Help for the visually and hearing impaired



Child Lock



Presence detection



Open Window detection

Product code	Wattage	Height mm	Width mm	Depth mm	Weight Kg	Price Excl. Vat £
CAS0750	750	580	631	80	16	375.00
CAS1000	1000	580	711	80	20	399.00
CAS1250	1250	580	871	80	24	430.00
CAS1500	1500	580	951	80	27	480.00
CAS2000	2000	580	1191	80	33	499.00



Choosing a product certified by LCIE Bureau Veritas lets you know the company complies with strict standards and procedures. From extensive product testing to unannounced plant inspections, every aspect of a product's development is thoroughly evaluated before it can earn their certification. Most importantly, NF certification is not a one-time event, but involves regular on-site inspections of manufacturing facilities and regular re-testing of products to ensure that they continue to meet the same high standards required to maintain certification over time. Products that earn NF certification display the applicable NF certification mark to show that they have been tested by one of today's most respected independent product testing organizations.

Standards:

EMC

EN55014-1 ; EN55014-2 ;
EN61000-3-2 ; EN61000-3-3

Directives:

EMC 2004/108/EC / Low Voltage 2006/95/EC / RoHS 2011/65/EU and WEEE 2012/19/EU.

Low voltage

EN60335-1 ; EN60335-2-30 ;
EN62333

RoHS

EN50581



Exclusively by  **IntelliHeat**
Intelligent Heating Solutions.

www.intelligentheat.co.uk Tel: 0845 163 0055



* Warranty 10 years on the body - 2 years on the electronics