

CaliSense

DESIGN - COMFORT - INNOVATION

Benefits

- 100% Aluminium body with low thermal inertia
- Quick and easy to install in new build and home renovation
- The comfort of central heating without the pipes
- *EcoSense* technology, occupancy and open window detection
- 6 operating modes
- High performance low viscosity thermodynamic fluid
- Maximum energy efficiency
- LCD backlit display



SIMPLE | INTELLIGENT | EFFICIENT | FLEXIBLE

A slim classically stylish ergonomic design to suit any interior, the Cali Sense ensures a perfect combination of performance and economy.

Compliant with the latest Eco Design Lot 20 legislation, the Cali sense boosts the most advanced technologies, control abilities and design substantially lower operating costs while creating a perfect balance between temperature and comfort.

The EcoSense® technology incorporates state of the art PIR sensors to detect room by room occupation. Unoccupied rooms will automatically reduce their temperature to save energy.


Packed with state of the art features like real time energy consumption indication, occupancy detection and pin code locking, the Cali Sense is the perfect choice for private, commercial and rented properties.

The friendly heating

Features you will love 



Real Time Energy Consumption



- Operating modes: Auto, Comfort, Eco, Frost protection
- Real time energy consumption indicator
- Open window detection
- Occupancy detection
- 7 days and daily programme
- Setting temperature limit
- ChildLock
- Rental housing PIN code lock
- Settings back up
- Compliant with Eco Design Lot 20 Legislation



Made in France



10 years of Aluminium body
2 years on electronics



Maintenance Free



Low Surface Temperature



TPI Technology



Low Energy Consumption



EcoSense technology



Patented wall-mounting
brackets



Help for the
Visually and hearing
impaired



Child Lock



Presence Detection



Open Window detection

PRODUCT CODE	WATTS	HEIGHT MM	WIDTH MM	DEPTH	WEIGHT KG	PRICE EXCL VAT
C-SEN0750	750	580	631	80	15.7	390
C-SEN1000	1000	580	711	80	17.9	410
C-SEN1250	1250	580	871	80	21.4	465
C-SEN1500	1500	580	951	80	23.2	490
C-SEN2000	2000	580	1191	80	29.1	499

Choosing a product certified by LCIE Bureau Veritas lets you know the company complies with strict standards and procedures. From extensive product testing to unannounced plant inspections, every aspect of a product's development is thoroughly evaluated before it can earn their certification. Most importantly, NF certification is not a one-time event, but involves regular on-site inspections of manufacturing facilities and regular re-testing of products to ensure that they continue to meet the same high standards required to maintain certification over time. Products that earn NF certification display the applicable NF certification mark to show that they have been tested by one of today's most respected independent product testing organisations.

Standards:

EMC Low voltage RoHS

EN55014-1 ; EN55014-2 ; EN60335-1 ; EN60335-2-30 ; EN50581

EN61000-3-2 ; EN61000-3-3 EN62333

Directives:

EMC 2004/108/E / Low Voltage 2006/95/E / RoHS 2011/65/EU and WEE



www.intelligentheat.co.uk -

Tel: 0203 916 0000 -

Email: mail@intelligentheat.co.uk